



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E24/150
Delområde: Intagan - Lilla Edet
Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-05-02
Created By: David Schälin
Last Edited By: David Schälin

Skala 1:1000 (A3)

Name: Si
Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Phi: 28 °

Name: CI 1
Model: Combined, S=f(datum)
Unit Weight: 16.6 kN/m³
Phi: 30 °
Cu-Datum: 23.5 kPa
Cu-Rate of Change: 1.5 kPa/m

Name: CI 2
Model: Combined, S=f(depth)
Unit Weight: 17.4 kN/m³
Phi: 30 °
Cu-Top of Layer: 26.5 kPa
Cu-Rate of Change: 1.5 kPa/m

Name: CI 3
Model: Combined, S=f(datum)
Unit Weight: 16.5 kN/m³
Phi: 30 °
Cu-Datum: 19 kPa
Cu-Rate of Change: 1.5 kPa/m


Name: CI 4
Model: Combined, S=f(datum)
Unit Weight: 17 kN/m³
Phi: 30 °
Cu-Datum: 19 kPa
Cu-Rate of Change: 1.5 kPa/m

Name: CI 5
Model: Combined, S=f(datum)
Unit Weight: 17.4 kN/m³
Phi: 30 °
Cu-Datum: 22 kPa
Cu-Rate of Change: 2 kPa/m

Name: CI GÄ 1
Model: Combined, S=f(depth)
Unit Weight: 15 kN/m³
Phi: 30 °
Cu-Top of Layer: 5 kPa
Cu-Rate of Change: 6.7 kPa/m

Name: CI GÄ 2
Model: Combined, S=f(datum)
Unit Weight: 16.5 kN/m³
Phi: 30 °
Cu-Datum: 25 kPa
Cu-Rate of Change: 1.6 kPa/m

Name: CI GÄ 3
Model: Combined, S=f(datum)
Unit Weight: 16.5 kN/m³
Phi: 30 °
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.8 kPa/m





KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E24/150
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-05-02
 Created By: David Schälin
 Last Edited By: David Schälin

Skala 1:1000 (A3)

Name: Si
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Phi: 28 °

Name: CI 1
 Model: Combined, S=f(datum)
 Unit Weight: 16.6 kN/m³
 Phi: 30 °
 Cu-Datum: 23.5 kPa
 Cu-Rate of Change: 1.5 kPa/m

Name: CI 2
 Model: Combined, S=f(depth)
 Unit Weight: 17.4 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 26.5 kPa
 Cu-Rate of Change: 1.5 kPa/m

Name: CI 3
 Model: Combined, S=f(datum)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Datum: 19 kPa
 Cu-Rate of Change: 1.5 kPa/m


Name: CI 4
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Datum: 19 kPa
 Cu-Rate of Change: 1.5 kPa/m

Name: CI 5
 Model: Combined, S=f(datum)
 Unit Weight: 17.4 kN/m³
 Phi: 30 °
 Cu-Datum: 22 kPa
 Cu-Rate of Change: 2 kPa/m

Name: CI GÄ 1
 Model: Combined, S=f(depth)
 Unit Weight: 15 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 5 kPa
 Cu-Rate of Change: 6.7 kPa/m

Name: CI GÄ 2
 Model: Combined, S=f(datum)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Datum: 25 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI GÄ 3
 Model: Combined, S=f(datum)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 1.8 kPa/m



Kombinerad analys E24/150

