




KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E21/990
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-03-28
 Created By: David Schälin
 Last Edited By: David Schälin

Skala 1:1000 (A3)



Name: CI 1
 Model: Combined, S=f(depth)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 0 kPa/m

Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 0 kPa/m

Name: CI 2
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 4 kPa/m

Name: CI 3
 Model: Combined, S=f(datum)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI 4
 Model: Combined, S=f(datum)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI 5
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI GÄ 1
 Model: Combined, S=f(depth)
 Unit Weight: 15 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 2 kPa
 Cu-Rate of Change: 10.5 kPa/m

Name: CI GÄ 2
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 23 kPa
 Cu-Rate of Change: 2 kPa/m

Name: CI 6
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 27 kPa
 Cu-Rate of Change: 2.1 kPa/m




KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E21/990
 Delområde: Intagan - Lilla Edet
 Analysmetod: Kombinerad

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Pressure Head Spatial Function
 Date: 2011-03-28
 Created By: David Schälin
 Last Edited By: David Schälin

Skala 1:1000 (A3)



Name: CI 1
 Model: Combined, S=f(depth)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 0 kPa/m

Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 0 kPa/m

Name: CI 2
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 25 kPa
 Cu-Rate of Change: 4 kPa/m

Name: CI 3
 Model: Combined, S=f(datum)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI 4
 Model: Combined, S=f(datum)
 Unit Weight: 16.5 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI 5
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Datum: 37 kPa
 Cu-Rate of Change: 1.6 kPa/m

Name: CI GÄ 1
 Model: Combined, S=f(depth)
 Unit Weight: 15 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 2 kPa
 Cu-Rate of Change: 10.5 kPa/m

Name: CI GÄ 2
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 23 kPa
 Cu-Rate of Change: 2 kPa/m

Name: CI 6
 Model: Combined, S=f(depth)
 Unit Weight: 16.3 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 27 kPa
 Cu-Rate of Change: 2.1 kPa/m

Kombinerad analys E21/990

