



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: E28/830
Delområde: Intagan - Lilla Edet
Analysmetod: Odränerad

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-04-04
Created By: David Schälin
Last Edited By: David Schälin

Skala 1:1000 (A3)

Name: Crust
Model: Undrained (Phi=0)
Unit Weight: 18 kN/m³

Name: F
Model: Mohr-Coulomb
Unit Weight: 19.5 kN/m³
Phi: 35 °

Name: CI(1)
Model: S=f(depth)
Unit Weight: 16.8 kN/m³
C-Top of Layer: 21 kPa
C-Rate of Change: 0.7 kPa/m

Name: CI(2)
Model: S=f(datum)
Unit Weight: 16.5 kN/m³
C-Datum: 21 kPa
C-Rate of Change: 0.7 kPa/m


Name: CI(3)
Model: S=f(datum)
Unit Weight: 15.8 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.3 kPa/m

Name: CI GÄ 2
Model: S=f(depth)
Unit Weight: 15.8 kN/m³
C-Top of Layer: 15 kPa
C-Rate of Change: 1.25 kPa/m

Name: CI GÄ 1
Model: S=f(depth)
Unit Weight: 15 kN/m³
C-Top of Layer: 3 kPa
C-Rate of Change: 3 kPa/m

Name: CI(8)
Model: S=f(datum)
Unit Weight: 15.8 kN/m³
C-Datum: 22 kPa
C-Rate of Change: 1.1 kPa/m

Name: CI(9)
Model: S=f(depth)
Unit Weight: 15.8 kN/m³
C-Top of Layer: 18 kPa
C-Rate of Change: 1.1 kPa/m



Odränerad analys E28/830

