

Odränerad Analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Petter Karlsson](#)

Revision Number: [67](#)

Last Edited By: [Kine Meijer](#)

Date: [2011-08-16](#)

Time: [12:46:27](#)

File Name: [V18430_odrainerad ee.gsz](#)

Directory: [P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V18430\110810\](#)

Project Settings

Length(L) Units: [meters](#)

Time(t) Units: [Seconds](#)

Force(F) Units: [kN](#)

Pressure(p) Units: [kPa](#)

Strength Units: [kPa](#)

Unit Weight of Water: [9.807 kN/m³](#)

View: [2D](#)

Analysis Settings

Odränerad Analys

Kind: [SLOPE/W](#)

Method: [Morgenstern-Price](#)

Settings

Apply Phreatic Correction: [No](#)

Side Function

Interslice force function option: [Half-Sine](#)

PWP Conditions Source: [Piezometric Line](#)

Use Staged Rapid Drawdown: [No](#)

Slip Surface

Direction of movement: [Right to Left](#)

Use Passive Mode: [No](#)

Slip Surface Option: [Entry and Exit](#)

Critical slip surfaces saved: [5](#)

Optimize Critical Slip Surface Location: [Yes](#)

Tension Crack

Tension Crack Option: [Tension Crack Line](#)

Percentage Wet: [0.5](#)

Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)

FOS Distribution

FOS Calculation Option: [Constant](#)

Advanced

Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

CI 1

Model: $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 30 m
Pore Water Pressure
Piezometric Line: 1

CI 2

Model: $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.81 kPa/m
Limiting C: 0 kPa
Elevation: 15 m
Pore Water Pressure
Piezometric Line: 1

CI 3

Model: $S=f(\text{datum})$
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 1.81 kPa/m
Limiting C: 0 kPa
Elevation: 15 m
Pore Water Pressure
Piezometric Line: 1

CI 4

Model: $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 0 kPa/m
Limiting C: 0 kPa
Elevation: 15 m

Pore Water Pressure
Piezometric Line: 1

Crust

Model: Mohr-Coulomb
Unit Weight: 18 kN/m³
Cohesion: 30 kPa
Phi: 0 °
Phi-B: 0 °
Pore Water Pressure
Piezometric Line: 1

CI 5


Model: $S=f(\text{datum})$
Unit Weight: 17 kN/m³
C-Datum: 28 kPa
C-Rate of Change: 2.1 kPa/m
Limiting C: 0 kPa
Elevation: 5 m
Pore Water Pressure
Piezometric Line: 1

CI 6


Model: $S=f(\text{depth})$
Unit Weight: 17 kN/m³
C-Top of Layer: 3 kPa
C-Rate of Change: 16.5 kPa/m
Limiting C: 36 kPa
Pore Water Pressure
Piezometric Line: 1

CI 7

Model: $S=f(\text{depth})$
Unit Weight: 17 kN/m³
C-Top of Layer: 36 kPa
C-Rate of Change: 1.89 kPa/m
Limiting C: 0 kPa
Pore Water Pressure
Piezometric Line: 1



Figur 1 Kohesion och friktion.



Figur 2. Totalspänning, effektivspänning och portryck.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALLEN

Sektion: V18430
 Delområde: Intagan - Ström
 Analysmetod: Odränerad analys

Slip Surface Option: Entry and Exit
 Method: Morgenstern-Price
 PWP Conditions Source: Piezometric Line
 Date: 2011-08-10
 Created By: Petter Karlsson
 Last Edited By: Kine Meijer

Skala 1:1000 (A3)

Name: Crust
 Model: Mohr-Coulomb
 Unit Weight: 18 kN/m³
 Cohesion: 30 kPa
 Phi: 0 °

Name: CI 1
 Model: S=f(datum)
 Unit Weight: 16.4 kN/m³
 C-Datum: 28 kPa
 C-Rate of Change: 0 kPa/m
 Elevation: 30 m


Name: CI 2
 Model: S=f(datum)
 Unit Weight: 16.4 kN/m³
 C-Datum: 28 kPa
 C-Rate of Change: 1.81 kPa/m
 Elevation: 15 m

Name: CI 4
 Model: S=f(datum)
 Unit Weight: 16.4 kN/m³
 C-Datum: 28 kPa
 C-Rate of Change: 0 kPa/m
 Elevation: 15 m

Name: CI 6
 Model: S=f(depth)
 Unit Weight: 17 kN/m³
 C-Top of Layer: 3 kPa
 C-Rate of Change: 16.5 kPa/m

Name: CI 6
 Model: S=f(depth)
 Unit Weight: 17 kN/m³
 C-Top of Layer: 3 kPa
 C-Rate of Change: 16.5 kPa/m
 Limiting C: 36 kPa

Name: CI 7
 Model: S=f(depth)
 Unit Weight: 17 kN/m³
 C-Top of Layer: 36 kPa
 C-Rate of Change: 1.89 kPa/m



Kombinerad Analys

Report generated using GeoStudio 2007, version 7.16. Copyright © 1991-2010 GEO-SLOPE International Ltd.

File Information

Created By: [Petter Karlsson](#)
Revision Number: 58
Last Edited By: [Kine Meijer](#)
Date: 2011-08-10
Time: 16:18:46
File Name: V18430_kombineradprint.gsz
Directory: P:\!Göta älv utredningen 2009-2012\Delområde 1-10\Delområde 5-14085\Geoteknik\Text\Interngranskning\V18430\110810\
Last Solved Date: 2011-08-10
Last Solved Time: 16:23:10

Project Settings

Length(L) Units: [meters](#)
Time(t) Units: [Seconds](#)
Force(F) Units: [kN](#)
Pressure(p) Units: [kPa](#)
Strength Units: [kPa](#)
Unit Weight of Water: [9.807 kN/m³](#)
View: [2D](#)

Analysis Settings

Kombinerad Analys

Kind: [SLOPE/W](#)
Method: [Morgenstern-Price](#)
Settings
 Side Function
 Interslice force function option: [Half-Sine](#)
 PWP Conditions Source: [Pressure Head Spatial Function](#)
 Pressure Head Spatial Fn.: [Nuvärdesanalys](#)
Slip Surface
 Direction of movement: [Right to Left](#)
 Use Passive Mode: [No](#)
 Slip Surface Option: [Entry and Exit](#)
 Critical slip surfaces saved: 5
 Optimize Critical Slip Surface Location: [Yes](#)
Tension Crack
 Tension Crack Option: [Tension Crack Line](#)
 Percentage Wet: 0.5
 Tension Crack Fluid Unit Weight: [9.807 kN/m³](#)
FOS Distribution
 FOS Calculation Option: [Constant](#)

Advanced

Number of Slices: 30
Optimization Tolerance: 0.01
Minimum Slip Surface Depth: 0.1 m
Optimization Maximum Iterations: 2000
Optimization Convergence Tolerance: 1e-007
Starting Optimization Points: 8
Ending Optimization Points: 16
Complete Passes per Insertion: 1
Driving Side Maximum Convex Angle: 5 °
Resisting Side Maximum Convex Angle: 1 °

Materials

CI 1

Model: Combined, $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 25 m

CI 2

Model: Combined, $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.81 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

CI 3

Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.81 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

CI 4

Model: Combined, $S=f(\text{datum})$
Unit Weight: 16.4 kN/m³

Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

Crust

Model: Combined, $S=f(\text{depth})$
Unit Weight: 18 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1

CI 5


Model: Combined, $S=f(\text{datum})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Datum: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Datum: 28 kPa
Cu-Rate of Change: 2.1 kPa/m
C/Cu Ratio: 0.1
Elevation: 5 m

CI 6


Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 3 kPa
Cu-Rate of Change: 16.5 kPa/m
C/Cu Ratio: 0.1

CI 7

Model: Combined, $S=f(\text{depth})$
Unit Weight: 17 kN/m³
Phi: 30 °
C-Top of Layer: 0 kPa
C-Rate of Change: 0 kPa/m
Cu-Top of Layer: 36 kPa
Cu-Rate of Change: 1.89 kPa/m
C/Cu Ratio: 0.1



Figur 1. Kohesion och friktion.




Figur 2. Totalspänning, effektivspänning och portryck.



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V18430
Delområde: Intagan - Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-08-10
Created By: Petter Karlsson
Last Edited By: Kine Meijer



Name: Crust
 Model: Combined, S=f(depth)
 Unit Weight: 18 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 30 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1

Name: CI 1
 Model: Combined, S=f(datum)
 Unit Weight: 16.4 kN/m³
 Phi: 30 °
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 25 m

Name: CI 2
 Model: Combined, S=f(datum)
 Unit Weight: 16.4 kN/m³
 Phi: 30 °
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 1.81 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 15 m

Name: CI 4
 Model: Combined, S=f(datum)
 Unit Weight: 16.4 kN/m³
 Phi: 30 °
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 0 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 15 m

Name: CI 5
 Model: Combined, S=f(datum)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Datum: 28 kPa
 Cu-Rate of Change: 2.1 kPa/m
 C/Cu Ratio: 0.1
 Elevation: 5 m

Name: CI 6
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 3 kPa
 Cu-Rate of Change: 16.5 kPa/m
 C/Cu Ratio: 0.1


Name: CI 7
 Model: Combined, S=f(depth)
 Unit Weight: 17 kN/m³
 Phi: 30 °
 Cu-Top of Layer: 36 kPa
 Cu-Rate of Change: 1.89 kPa/m
 C/Cu Ratio: 0.1



KLIMATANPASSNING SKREDFÖRUTSÄTTNINGAR I GÖTA ÄLVDALEN

Sektion: V18430
Delområde: Intagan - Ström
Analysmetod: Kombinerad analys

Slip Surface Option: Entry and Exit
Method: Morgenstern-Price
PWP Conditions Source: Pressure Head Spatial Function
Date: 2011-08-16
Created By: Petter Karlsson
Last Edited By: Kine Meijer



Name: Crust
Model: Combined, S=f(depth)
Unit Weight: 18 kN/m³
Phi: 30 °
Cu-Top of Layer: 30 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1

Name: CI 1
Model: Combined, S=f(datum)
Unit Weight: 16.4 kN/m³
Phi: 30 °
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 25 m

Name: CI 2
Model: Combined, S=f(datum)
Unit Weight: 16.4 kN/m³
Phi: 30 °
Cu-Datum: 28 kPa
Cu-Rate of Change: 1.81 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

Name: CI 4
Model: Combined, S=f(datum)
Unit Weight: 16.4 kN/m³
Phi: 30 °
Cu-Datum: 28 kPa
Cu-Rate of Change: 0 kPa/m
C/Cu Ratio: 0.1
Elevation: 15 m

Name: CI 5
Model: Combined, S=f(datum)
Unit Weight: 17 kN/m³
Phi: 30 °
Cu-Datum: 28 kPa
Cu-Rate of Change: 2.1 kPa/m
C/Cu Ratio: 0.1
Elevation: 5 m

Name: CI 6
Model: Combined, S=f(depth)
Unit Weight: 17 kN/m³
Phi: 30 °
Cu-Top of Layer: 3 kPa
Cu-Rate of Change: 16.5 kPa/m
C/Cu Ratio: 0.1

Name: CI 7
Model: Combined, S=f(depth)
Unit Weight: 17 kN/m³
Phi: 30 °
Cu-Top of Layer: 36 kPa
Cu-Rate of Change: 1.89 kPa/m
C/Cu Ratio: 0.1